

NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 05/25/11

The bimonthly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances & Water public meetings, workshops, hearings, and regulatory documents available for public comment, as well as news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality & Waste and Hazardous Substances:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>. There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Tracy Sargent at (302) 739-9400 or send an email to tracy.sargent@state.de.us. Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances & Water; Web Site: www.awm.delaware.gov

NEWS UPDATES:

DNREC TO HOLD PUBLIC INFORMATION MEETINGS JUNE 7 (HARRINGTON) AND JUNE 15 (WILMINGTON) ON UNIVERSAL RECYCLING IN DELAWARE – The Solid and Hazardous Waste Management Section (SHWMS) will hold the next in a series of public information meetings June 7 in Harrington and June 15 in Wilmington to provide information and answer questions on Delaware's new Universal Recycling Law. The new law establishes a comprehensive statewide system of recycling that with full implementation will include effective and convenient recycling programs for every Delaware residence and business. The June 7 public meeting will be held from 6:30 to 7:30 p.m. at the Price Community Center on Dorman Street in Harrington. The June 15 public meeting will be held from 6:30 to 7:30 p.m. at the Brandywine Hundred Library on Foulk Road in Wilmington. For additional information, please contact Shannon Splittorff at (302) 739-9403 or visit:

http://www.dnrec.delaware.gov/News/Pages/DNREC_to_hold_universal_recycling_public_meetings_June_7_and_15.aspx

DNREC'S NEXT SCRAP TIRE DROP-OFF DAY JUNE 25 AT DELDOT'S AREA 9 MAINTENANCE YARD IN MIDDLETOWN – The Solid and Hazardous Waste Branch (SHWMB) will host a Scrap Tire Drop-off Day for Delaware residents June 25 at DeIDOT's Area 9 maintenance yard in Middletown from 8 a.m. to 2 p.m., rain or shine. DNREC's previous five drop-off events have collected nearly 112 tons or 8,800 scrap tires for recycling, which prevents them from potential harm of the environment and from any hazard to human health – and from ending up in unsightly scrap tire piles or from taking up valuable space in a landfill. For additional information, please contact Crystal Smith at (302) 739-9403 or visit: http://www.dnrec.delaware.gov/News/Pages/Next_DNREC_Scrap_Tire_Drop-off_Day_June_25_at_DeIDOT_Area_9_maintenance_yard_in_Middletown.aspx

UPCOMING AIR, WASTE & WATER-RELATED HEARINGS, MEETINGS & EVENTS:

RECYCLING PUBLIC ADVISORY COUNCIL (RPAC) – The Recycling Public Advisory Council will hold their monthly meeting to discuss recycling matters in the State of Delaware on May 25, 2011 from 1:30pm-3:30pm at the Department of Finance Building, 820 Silver Lake Blvd., Dover, DE 19901. For additional information, please contact Shannon Splittorff at (302) 739-9403 or visit:

<http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/160F739619C0E9508525789300484D4E?open>

ON-SITE SYSTEMS ADVISORY BOARD – The On-Site Systems Advisory Board will hold their monthly meeting on June 1, 2011, from 9:15am-11:00am at the DNREC auditorium in the Richardson and Robbins Building, DWHS Conf Room B228, 89 Kings Highway, Dover - DE, 19901. For more information, please contact Katharyn Wright at (302) 739-9948 or visit:

<http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/55A796C47D4017D58525789A004C16C2?open>

BROWNFIELDS ADVISORY COMMITTEE – The Brownfields Advisory Committee will hold their quarterly meeting on June 2, 2011 from 9:00am-12:30pm at the DNREC Lukens Drive Field Office, 391 Lukens Drive, New Castle DE19720. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/55CE50FB0093E457852578540053E4B3?open>

CLEAN WATER ADVISORY COUNCIL – The Clean Water Advisory Council will hold a meeting to discuss wastewater and stormwater issues on June 15, 2011 from 9:00am – 12:00pm at the Kent County Administrative Complex Room 220, 555 S. Bay Road, Dover - DE, 19901. For additional information, please contact Dawn Lawson at (302) 739-9941 or visit:

<http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/84D525C92FBC83AC852577FB0051A130?open>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL:

PUBLIC NOTICE - PERMITS PENDING – The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that a permit application has been received from the following companies to transport regulated RCRA hazardous and/or non-hazardous solid wastes in, out of, or through the State of Delaware:

A.J. Jurich, Inc.; City of Lewes; Clean Harbors Environmental Services, Inc.; County Environmental; Dukes Lumber & Home Center, Inc.; Weavertown Transport Leasing, Inc. A public hearing concerning these applications will NOT be held unless the Secretary of DNREC receives a meritorious request for a hearing by May 26, 2011. For additional information, please contact Kenneth Green at (302) 739-9403 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1093&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Bennett Construction, Inc.; Monridge Environmental, LLC; Robert T. Winzinger, Inc.; Royal Plus, Inc.; West Central Environmental Corporation.

A public hearing concerning these applications will NOT be held unless the Secretary of DNREC receives a meritorious request for a hearing by June 2, 2011. For additional information, please contact Kenneth Green at (302) 739-9403 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1099&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

BROWNFIELDS DEVELOPMENT PROGRAM – The Division's Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties which may be contaminated. A party seeking to develop such a property negotiates with the Division's Site Investigation and Restoration Section (SIRS) for a Brownfields Development Agreement (BDA) or a Brownfields Voluntary Cleanup Program (VCP) Agreement to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. For site-specific information on the following sites, please see SIRS's superfund site files database at: <http://docs.dnrec.delaware.gov/sirbsitefiles.cfm>.

PROPOSED PLAN OF REMEDIAL ACTION FOR THE 733 S. MARKET STREET SITE (DE-1502)

- The Site Investigation and Restoration Section (SIRS) announces the Proposed Plan of Remedial Action (Proposed Plan) for the 733 S. Market Street Site (Site). The 0.95 acre Site is located south of the intersection of South Market Street and James Court in Wilmington. Two underground storage tanks (USTs) were removed from the property in the mid 90's. Due to the past industry of the Wilmington Riverfront, the soil/fill that was placed over the marshland and surrounding area is believed to be a source of potential contamination for this property. A large amount of environmental data

exists from previous DNREC Delaware Brownfield Program investigations in the immediate vicinity of this site that show soil impacts from PAH's, lead and arsenic. Potential contaminants at the site are also likely to include these compounds. Based on the existing information and our knowledge of this site, it is unlikely that additional impacts will be found, however, a site investigation is currently being conducted to assess if there are additional impacts. This site investigation will be completed in April 2011. For additional information, please contact Larry Jones at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1082&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

FINAL PLAN OF REMEDIAL ACTION FOR THE AMERICAN SCRAP & WASTE SITE (DE-1131) – The Site Investigation and Restoration Section (SIRS) has adopted a plan regarding the clean-up of the American Scrap & Waste Site located in Wilmington. The Site is owned by C&G Property Associates, LLC. The site has been historically in commercial use from the late 1890's. The Site is being redeveloped as an industrial park. The public may appeal this final plan by May 31, 2011. For additional information, please contact Wendy March or Robert Newsome at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1092&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

NOTIFICATION OF PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE DELTA OUTREACH CENTER SITE (DE-1504) – The Site Investigation and Restoration Section (SIRS) negotiated a Brownfields Development Agreement (BDA) with Delta Outreach and Educational Center, Incorporated regarding the Delta Outreach and Educational Center Site (Site) located at 330 East 30th Street in Wilmington. Known by New Castle County as tax parcel number 26-023.00-031, the 1.62 acre Site may contain hazardous substances as a result of past industrial use containing historic fill. A Phase I Environmental Site Assessment performed by Ten Bears Environmental, LLC revealed elevated levels of contaminants such as polychlorinated biphenyls, polyaromatic hydrocarbons and copper in soil samples and TCE in groundwater samples. The public comment period begins on May 18, 2011 and will close on June 6, 2011. For additional information, please contact Morgan Price at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1098&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. To submit comments, for additional information or for an appointment to inspect the application, please contact Joanna Austin at the Dover Office at (302) 739-9402.

7 DE ADMIN. CODE 1102 NATURAL MINOR PERMIT APPLICATIONS – The following companies have filed an application:

Beebe Medical Center, requests a permit to construct three new boilers as replacements for the existing boilers at their 424 Savannah Road, Lewes facility. The boilers have the aggregate potential to emit (PTE): 6.96 TPY of NOx; 4.92 TPY of CO; 8.37 TPY of SOx; 1.53 TPY of PM; 0.48 TPY of VOC. By Permit# (APC-2011/0147-CONSTRUCTION (NSPS) (GACT) (PTE); APC-2011/0148-CONSTRUCTION (NSPS) (GACT) (PTE); APC-2011/0149-CONSTRUCTION (NSPS) (GACT)

(PTE)) aggregate actual emissions will not exceed: 4.71 TPY of NOx; 4.20 TPY of CO; 2.61 TPY of SOx; 1.08 TPY of PM; 0.45 TPY of VOC.

City of Wilmington requests a construction permit for a novel non-thermal plasma pollution control system to reduce emissions from the existing sludge heaters at the Wilmington Wastewater Treatment Plant. Potential to emit (PTE) from the sludge heaters are: 0.11 tons/yr of PM, 0.03 tons/yr of SOx, 5.56 tons/yr of NOx, 4.69 tons/yr of CO, and 0.49 tons/yr of VOCs. Emissions are expected to reduce by 98% after the installation of the control device. By Permit# 2011/0150-CONSTRUCTION actual emissions will not exceed 0.002 tons/yr of PM, 0.0007 tons/yr of SOx, 0.11 tons/yr of NOx, 0.094 tons/yr of CO, and 0.01 tons/yr of VOCs.

Diamond State Port Corporation requests a construction permit for a mobile belt feeder and shiploader to be used to export petroleum coke at the Port of Wilmington. The operation has the potential to emit (PTE) 2.36 tons/year of PM and 1.12 tons/year of PM10. Permit # APC-2011/0151-C

A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application by May 30, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1094&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx>

FEDERALLY ENFORCEABLE 7 DE ADMIN. CODE 1102 APPLICATION -

Notice is hereby given that DuPont Red Lion Plant having a facility at 766 Governor Lea Road, Delaware City, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for the construction of molten sulfur facilities and modification of the existing plant to allow for the co-feed of molten sulfur. This capability is needed to replace Gasifier Acid Gas, previously supplied by the Valero refinery, but not available from the Delaware City Refining Company. The DuPont Red Lion Plant's permitted emission limits will remain the same. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit AQM-003/00673 via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending June 14, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1095&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx>

TITLE V SYNTHETIC MINOR PERMIT APPLICATION - Notice is hereby given that Port Contractors, Inc. has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 to make their existing construction permit for a petroleum coke rail transshipment facility at 501 Christiana Avenue, Wilmington, federally enforceable. Port Contractors, Inc. requests limits for petroleum coke throughput. This limit is necessary to restrict Port Contractors, Inc.'s potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. The estimated emissions from the facility with restrictions on petroleum coke throughput are not expected to exceed the following: 11.99 tons/year of PM and 4.49 tons/year of PM10. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC by May 25, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1079&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx>

WATER PERMITTING PROGRAM - The Division of Water monitors, manages and protects Delaware's ground and surface waters, tidal wetlands and underwater lands. The Division is a link to the Delaware Estuary Program, Inland Bays Estuary Program and the Delaware River Basin Commission, and provides centralized computer and geographic information system services. The Division also provides public education and outreach programs.

WELL PERMITS

St. Andrews School needs to construct an irrigation well. The well is to be 140' deep and 8 inches in diameter. The well site is located east of Noxontown road and south of Silver Lake Road. The well is about two miles from Middletown. The desired capacity of this well is 500 gpm.

Norman Davidson needs to construct an irrigation well. The well is to be 90' deep and 8 inches in diameter. The site is located on the north side of Hudson road and west of Piney Neck road. The well is in Dagsboro. The desired capacity of this well is 500 gpm.

N. Donald Patterson needs to construct an irrigation well. The well is to be 90' deep and 8 inches in diameter. The site is located on the east side of Rt 594 and north of CR 224. The well is 4 miles from Milford. The desired capacity of this well is 600 gpm.

H. Robert Messick needs to construct an irrigation well. The well is to be 90' deep and 8 inches in diameter. This well site is located north of Redden road and west of CR 594. The well is about 3 miles from Bridgeville. The desired capacity of this well is 600 gpm.

Capitol School District needs to construct a dewatering system. The system is for 40 points that are 5' apart and 24' deep. The site is on Rt 8 and is to install sewer for the new school. The discharge water will be sent to an existing ditch and then Cahoon Branch. The system is in the town limits of Dover. The desired capacity of this system is 400 gpm.

New Castle County needs to construct a dewatering system. The system is for 75 points that are 3' apart and 20' deep. The site is between Hamilton and Clinton Streets. The discharge water will be sent to the storm sewer. The system is in the town limits of Delaware City. The desired capacity of this system is 200 gpm.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by June 19, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1100&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

FORMAL VARIANCE – An application has been filed by Sharon Sweeney has applied for a Formal Variance under Section 11.00 of The Regulations Governing the Construction and use of Wells to the construction of an unconfined well. The property is

located on the south east side of CR 284 Felton, on tax map parcel SM-00-138.00-02-11.00. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by June 19, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1100&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

SUBAQUEOUS LANDS PERMIT APPLICATIONS – The following have submitted applications:

Theodore and Judith Sulecki (Tax Parcel # 5-33-20.19-86.01) - To remove 12 feet of existing pier and construct a 6 by 27 foot dock and a boatlift with 4 pilings in the Fenwick Ditch at 8 Madison Avenue, Edgewater Acres, Selbyville.

Salt Pond Association (Tax Parcel # 134-13.00-88.00) - To install seven 16 inch by 20 foot and seven 12 inch by 20 foot bio-logs and plant wetland vegetation in the Salt Pond at the terminus of East Canal Way, Bethany Beach.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by May 31, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1091&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Donald Short-To maintain an 11 by 19 foot pier section with an 11 by 12 foot covering, a 5 by 52 foot pier section, and a 13 by 11 foot dock in the Indian River at 32089 River Road, Riverdale, Millsboro.

Debra L. Jahnigen-To repair a 6 by 49 foot pier section and construct a 6 by 40 foot dock and two 6 by 30 foot finger piers in Pepper Creek at Parcel 173, Pepper Vine Point, Point Farm Subdivision, Dagsboro.

Sussex County Engineering Department (linear project) – To install sections of a parallel force main via directional bore under Dirickson Creek at Old Mill Bridge Road and Miller Creek at Double Bridges Road to upgrade the Fenwick Island Sanitary Sewer District service area near Frankford.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by June 22, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1101&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

WETLANDS APPLICATION – An application has been filed by the New Castle County Special Services-To replace two sanitary sewer lines with one 455 linear foot section of 24 inch diameter pipe and one 550 linear foot section of 18 inch diameter pipe in State-regulated wetlands between 14th Street and Skelton Drive, in New Castle. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by June

22, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1101&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

MAP CHANGE APPLICATION – The following have submitted an application: Jesse Frederick Conaway (Tax Map Parcels 2-32-4.00, parcels 6.00 & 6.05) – To reclassify 2.5 acres of land adjacent to the Nanticoke River incorrectly mapped as “Tidal Forested Swamp” on State Wetland Map DNR #419 to a classification of “Other” (uplands) at Nathaniel’s Landing off of Woodland Ferry Road near Bethel.

A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by May 31, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1091&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

WASTEWATER FACILITIES CONSTRUCTION PERMIT APPLICATIONS - The Surface Water Discharges Section, hereby gives notice that a permit application has been received from the New Castle County Department of Special Services and The Pilot School, Inc. to construct wastewater facilities (sewers, a pump station with dual pumps, piping, controls and accessories, and a force main) that will service the proposed private Pilot School, located at 208 Woodlawn Road (Road 223), approximately 340’ west of Concord Pike (U.S. Route 202), Wilmington. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives request for a hearing by June 2, 2011. For additional information, please contact Molly Mackil at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1096&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

NPDES PERMITS – The Division of Water Resources, hereby gives notice that the National Railroad Passenger Corporation (AMTRAK) has applied for re-issuance of its National Pollutant Discharge Elimination System permit (“NPDES” Permit No. DE0050962 and State Number WPCC 3089E/85) to discharge storm water associated with industrial activity and groundwater to Brandywine River and Shellpot Creek. On the basis of a preliminary staff review and application of lawful standards and regulations, the Division proposes to re-issue the referenced permit, subject to certain effluent limitations and conditions. The proposed determinations are tentative. A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by June 3, 2011. For additional information, please contact John DeFriece at (302) 739- 9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1084&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

EMPLOYEE UPDATE:

Effective May 22, Amy Bryson from the Division of Waste & Hazardous Substances, Tanks Management Branch, was hired as a Hydrologist I in the Corrective Action Group.

Effective May 22, Anne Mundel from the Division of Water, Water Supply Section, was promoted from a Hydrologist II to a Hydrologist III.

CONTACT INFORMATION:

24-Hour Report and Spill Notification Line - 1-800-662-8802

Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600
Delaware Estuary Program - 302-739-9949
Division of Air Quality Director's office - 302-739-9402
Division of Waste and Hazardous Substances Director's Office - 302-739-9400
Division of Water Director's Office - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Hazardous Waste - 302-739-9403
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2515
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) State-wide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302- 739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank
Compliance Program - 302-856-4561
Site Investigation & Restoration Branch (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Stormwater Permits - 302-739-9946
Surface Water Discharge Permits (NPDES) - 302-739-9946
Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits – 302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944